

Motorsport Ring Sets

Finish Bore	Description	Set Part Number	Finish Bore	Description	Set Part Number
1.0mm, 1.0mm, 2.0mm Standard Tension +.005 File Fit Rings			1.0mm, 1.0mm, 2.0mm Standard Tension Drop In Rings		
3.552"	1.0, 1.0, 2.0mm File Fit	3557MS-112	4.000"	1.0, 1.0, 2.0mm Drop-In	4000MS-112D
3.572"	1.0, 1.0, 2.0mm File Fit	3577MS-112	4.030"	1.0, 1.0, 2.0mm Drop-In	4030MS-112D
3.582"	1.0, 1.0, 2.0mm File Fit	3587MS-112	4.040"	1.0, 1.0, 2.0mm Drop-In	4040MS-112D
3.622"	1.0, 1.0, 2.0mm File Fit	3627MS-112	4.055"	1.0, 1.0, 2.0mm Drop-In	4055MS-112D
3.630"	1.0, 1.0, 2.0mm File Fit	3635MS-112	4.075"	1.0, 1.0, 2.0mm Drop-In	4075MS-112D
3.640"	1.0, 1.0, 2.0mm File Fit	3645MS-112	4.095"	1.0, 1.0, 2.0mm Drop-In	4095MS-112D
3.662"	1.0, 1.0, 2.0mm File Fit	3667MS-112	4.125"	1.0, 1.0, 2.0mm Drop-In	4125MS-112D
3.701"	1.0, 1.0, 2.0mm File Fit	3706MS-112	4.155"	1.0, 1.0, 2.0mm Drop-In	4155MS-112D
3.766"	1.0, 1.0, 2.0mm File Fit	3771MS-112			
3.776"	1.0, 1.0, 2.0mm File Fit	3781MS-112	1.5mm, 1.5mm, 3.0mm Standard Tension +.005" File Fit Rings		
3.780"	1.0, 1.0, 2.0mm File Fit	3785MS-112	3.551"	1.5, 1.5, 3.0mm File Fit	3556MS-15
3.786"	1.0, 1.0, 2.0mm File Fit	3791MS-112	3.571"	1.5, 1.5, 3.0mm File Fit	3576MS-15
3.790"	1.0, 1.0, 2.0mm File Fit	3795MS-112	3.581"	1.5, 1.5, 3.0mm File Fit	3586MS-15
3.796"	1.0, 1.0, 2.0mm File Fit	3801MS-112	3.766"	1.5, 1.5, 3.0mm File Fit	3771MS-15
3.800"	1.0, 1.0, 2.0mm File Fit	3805MS-112	3.796"	1.5, 1.5, 3.0mm File Fit	3801MS-15
3.810"	1.0, 1.0, 2.0mm File Fit	3815MS-112	3.810"	1.5, 1.5, 3.0mm 4cyl File Fit	3815MS-15
3.820"	1.0, 1.0, 2.0mm File Fit	3825MS-112	3.820"	1.5, 1.5, 3.0mm 4cyl File Fit	3825MS-15
3.830"	1.0, 1.0, 2.0mm File Fit	3835MS-112	3.830"	1.5, 1.5, 3.0mm 4cyl File Fit	3835MS-15
3.898"	1.0, 1.0, 2.0mm File Fit	3903MS-112	3.898"	1.5, 1.5, 3.0mm File Fit	3903MS-15
3.905"	1.0, 1.0, 2.0mm File Fit	3910MS-112	3.905"	1.5, 1.5, 3.0mm File Fit	3910MS-15
3.917"	1.0, 1.0, 2.0mm File Fit	3922MS-112	4.000"	1.5, 1.5, 3.0mm File Fit	4005MS-15
3.917"	1.0, 1.0, 2.0mm 4cyl File Fit	3922MS-112-4	4.005"	1.5, 1.5, 3.0mm File Fit	4010MS-15
3.927"	1.0, 1.0, 2.0mm File Fit	3932MS-112	4.010"	1.5, 1.5, 3.0mm File Fit	4015MS-15
3.927"	1.0, 1.0, 2.0mm 4cyl File Fit	3932MS-112-4	4.020"	1.5, 1.5, 3.0mm File Fit	4025MS-15
3.937"	1.0, 1.0, 2.0mm File Fit	3942MS-112	4.030"	1.5, 1.5, 3.0mm File Fit	4035MS-15
3.937"	1.0, 1.0, 2.0mm 4cyl File Fit	3942MS-112-4	4.040"	1.5, 1.5, 3.0mm File Fit	4045MS-15
3.947"	1.0, 1.0, 2.0mm File Fit	3952MS-112	4.060"	1.5, 1.5, 3.0mm File Fit	4065MS-15
4.000"	1.0, 1.0, 2.0mm File Fit	4005MS-112	4.065"	1.5, 1.5, 3.0mm File Fit	4070MS-15
4.005"	1.0, 1.0, 2.0mm File Fit	4010MS-112	4.070"	1.5, 1.5, 3.0mm File Fit	4075MS-15
4.010"	1.0, 1.0, 2.0mm File Fit	4015MS-112	4.080"	1.5, 1.5, 3.0mm File Fit	4085MS-15
4.020"	1.0, 1.0, 2.0mm File Fit	4025MS-112	4.090"	1.5, 1.5, 3.0mm File Fit	4095MS-15
4.025"	1.0, 1.0, 2.0mm File Fit	4030MS-112	4.125"	1.5, 1.5, 3.0mm File Fit	4130MS-15
4.030"	1.0, 1.0, 2.0mm File Fit	4035MS-112	4.130"	1.5, 1.5, 3.0mm File Fit	4135MS-15
4.035"	1.0, 1.0, 2.0mm File Fit	4040MS-112	4.135"	1.5, 1.5, 3.0mm File Fit	4140MS-15
4.040"	1.0, 1.0, 2.0mm File Fit	4045MS-112	4.140"	1.5, 1.5, 3.0mm File Fit	4145MS-15
4.045"	1.0, 1.0, 2.0mm File Fit	4050MS-112	4.145"	1.5, 1.5, 3.0mm File Fit	4150MS-15
4.050"	1.0, 1.0, 2.0mm File Fit	4055MS-112	4.150"	1.5, 1.5, 3.0mm File Fit	4155MS-15
4.055"	1.0, 1.0, 2.0mm File Fit	4060MS-112	4.155"	1.5, 1.5, 3.0mm File Fit	4160MS-15
4.060"	1.0, 1.0, 2.0mm File Fit	4065MS-112	4.160"	1.5, 1.5, 3.0mm File Fit	4165MS-15
4.065"	1.0, 1.0, 2.0mm File Fit	4070MS-112	4.165"	1.5, 1.5, 3.0mm File Fit	4170MS-15
4.070"	1.0, 1.0, 2.0mm File Fit	4075MS-112	4.250"	1.5, 1.5, 3.0mm File Fit	4255MS-15
4.075"	1.0, 1.0, 2.0mm File Fit	4080MS-112	4.280"	1.5, 1.5, 3.0mm File Fit	4285MS-15
4.080"	1.0, 1.0, 2.0mm File Fit	4085MS-112	4.310"	1.5, 1.5, 3.0mm File Fit	4315MS-15
4.090"	1.0, 1.0, 2.0mm File Fit	4095MS-112	4.320"	1.5, 1.5, 3.0mm File Fit	4325MS-15
4.100"	1.0, 1.0, 2.0mm File Fit	4105MS-112	4.350"	1.5, 1.5, 3.0mm File Fit	4355MS-15
4.120"	1.0, 1.0, 2.0mm File Fit	4125MS-112	4.375"	1.5, 1.5, 3.0mm File Fit	4380MS-15
4.125"	1.0, 1.0, 2.0mm File Fit	4130MS-112	4.390"	1.5, 1.5, 3.0mm File Fit	4395MS-15
4.130"	1.0, 1.0, 2.0mm File Fit	4135MS-112	4.440"	1.5, 1.5, 3.0mm File Fit	4445MS-15
4.135"	1.0, 1.0, 2.0mm File Fit	4140MS-112	4.500"	1.5, 1.5, 3.0mm File Fit	4505MS-15
4.140"	1.0, 1.0, 2.0mm File Fit	4145MS-112	4.530"	1.5, 1.5, 3.0mm File Fit	4535MS-15
4.145"	1.0, 1.0, 2.0mm File Fit	4150MS-112	4.560"	1.5, 1.5, 3.0mm File Fit	4565MS-15
4.150"	1.0, 1.0, 2.0mm File Fit	4155MS-112	4.600"	1.5, 1.5, 3.0mm File Fit	4605MS-15
4.155"	1.0, 1.0, 2.0mm File Fit	4160MS-112			
4.160"	1.0, 1.0, 2.0mm File Fit	4165MS-112	1.5mm, 1.5mm, 3.0mm Standard Tension Drop In Rings		
4.165"	1.0, 1.0, 2.0mm File Fit	4170MS-112	3.551"	1.5, 1.5, 3.0 mm Drop In	3551MS-15
4.170"	1.0, 1.0, 2.0mm File Fit	4175MS-112	3.937"	1.5, 1.5, 3.0 mm Drop In	3937MS-15
4.175"	1.0, 1.0, 2.0mm File Fit	4180MS-112	3.947"	1.5, 1.5, 3.0 mm Drop In	3947MS-15
4.180"	1.0, 1.0, 2.0mm File Fit	4185MS-112	4.000"	1.5, 1.5, 3.0 mm Drop In	4000MS-15D
4.185"	1.0, 1.0, 2.0mm File Fit	4190MS-112	4.030"	1.5, 1.5, 3.0 mm Drop In	4030MS-15D
4.220"	1.0, 1.0, 2.0mm File Fit	4225MS-112	4.040"	1.5, 1.5, 3.0 mm Drop In	4040MS-15D
4.225"	1.0, 1.0, 2.0mm File Fit	4230MS-112	4.055"	1.5, 1.5, 3.0 mm Drop In	4055MS-15D
4.245"	1.0, 1.0, 2.0mm File Fit	4250MS-112	4.125"	1.5, 1.5, 3.0 mm Drop In	4125MS-15D
4.250"	1.0, 1.0, 2.0mm File Fit	4255MS-112	4.155"	1.5, 1.5, 3.0 mm Drop In	4155MS-15D
4.255"	1.0, 1.0, 2.0mm File Fit	4260MS-112	4.600"	1.5, 1.5, 3.0 mm Drop In	4600MS-15D
4.260"	1.0, 1.0, 2.0mm File Fit	4265MS-112			
4.265"	1.0, 1.0, 2.0mm File Fit	4270MS-112			
4.270"	1.0, 1.0, 2.0mm File Fit	4275MS-112			
4.280"	1.0, 1.0, 2.0mm File Fit	4285MS-112			

To order a ring set for one cylinder
add a -1 after the part number.
See example below:
4030MS-112-1 Quantity 1

Have more questions about this product?

Contact MAHLE Motorsport at 888-255-1942

MAHLE
Motorsport

Motorsport Ring Sets

Finish Bore	Description	Set Part Number	Finish Bore	Description	Set Part Number
.043", .043", 3.0mm Low Tension +.005" File Fit Rings			1/16, 1/16, 3/16" Standard Tension +.005" File Fit Rings		
3.766"	.043", .043", 3.0mm File Fit	3771MS-043	4.020"	1/16, 1/16, 3/16" File Fit	4025MS
3.776"	.043", .043", 3.0mm File Fit	3781MS-043	4.030"	1/16, 1/16, 3/16" File Fit	4035MS
3.786"	.043", .043", 3.0mm File Fit	3791MS-043	4.040"	1/16, 1/16, 3/16" File Fit	4045MS
4.010"	.043", .043", 3.0mm File Fit	4015ML-043	4.060"	1/16, 1/16, 3/16" File Fit	4065MS
4.020"	.043", .043", 3.0mm File Fit	4025ML-043	4.070"	1/16, 1/16, 3/16" File Fit	4075MS
4.025"	.043", .043", 3.0mm File Fit	4030ML-043	4.125"	1/16, 1/16, 3/16" File Fit	4130MS
4.030"	.043", .043", 3.0mm File Fit	4035ML-043	4.130"	1/16, 1/16, 3/16" File Fit	4135MS
4.035"	.043", .043", 3.0mm File Fit	4040ML-043	4.145"	1/16, 1/16, 3/16" File Fit	4150MS
4.040"	.043", .043", 3.0mm File Fit	4045ML-043	4.155"	1/16, 1/16, 3/16" File Fit	4160MS
4.045"	.043", .043", 3.0mm File Fit	4050ML-043	4.165"	1/16, 1/16, 3/16" File Fit	4170MS
4.050"	.043", .043", 3.0mm File Fit	4055ML-043	4.185"	1/16, 1/16, 3/16" File Fit	4190MS
4.060"	.043", .043", 3.0mm File Fit	4065ML-043	4.250"	1/16, 1/16, 3/16" File Fit	4255MS
4.065"	.043", .043", 3.0mm File Fit	4070ML-043	4.280"	1/16, 1/16, 3/16" File Fit	4285MS
4.070"	.043", .043", 3.0mm File Fit	4075ML-043	4.310"	1/16, 1/16, 3/16" File Fit	4315MS
4.080"	.043", .043", 3.0mm File Fit	4085ML-043	4.320"	1/16, 1/16, 3/16" File Fit	4325MS
4.125"	.043", .043", 3.0mm File Fit	4130ML-043	4.350"	1/16, 1/16, 3/16" File Fit	4355MS
4.130"	.043", .043", 3.0mm File Fit	4135ML-043	4.375"	1/16, 1/16, 3/16" File Fit	4380MS
4.140"	.043", .043", 3.0mm File Fit	4145ML-043	4.440"	1/16, 1/16, 3/16" File Fit	4445MS
4.150"	.043", .043", 3.0mm File Fit	4155ML-043	4.470"	1/16, 1/16, 3/16" File Fit	4475MS
4.155"	.043", .043", 3.0mm File Fit	4160ML-043	4.500"	1/16, 1/16, 3/16" File Fit	4505MS
4.165"	.043", .043", 3.0mm File Fit	4170ML-043	4.530"	1/16, 1/16, 3/16" File Fit	4535MS
4.185"	.043", .043", 3.0mm File Fit	4190ML-043	4.560"	1/16, 1/16, 3/16" File Fit	4565MS
			4.600"	1/16, 1/16, 3/16" File Fit	4605MS
.043", .043", 3.0mm Steel Low Tension +.005" File Fit Rings			1/16, 1/16, 3/16" Standard Tension Drop In Rings		
4.600"	.043", .043", 3.0mm File Fit	4605SL-043	4.000"	1/16, 1/16, 3/16" Drop In	4000MS
4.605"	.043", .043", 3.0mm File Fit	4610SL-043	4.030"	1/16", 1/16", 3/16" Drop In	4030MS
4.610"	.043", .043", 3.0mm File Fit	4615SL-043	4.040"	1/16", 1/16", 3/16" Drop In	4040MS
4.625"	.043", .043", 3.0mm File Fit	4630SL-043	4.060"	1/16", 1/16", 3/16" Drop In	4060MS
			4.080"	1/16", 1/16", 3/16" Drop In	4080MS
.043", .043", 3.0mm Steel Standard Tension +.005" File Fit Rings			4.125"	1/16", 1/16", 3/16" Drop In	4125MS
4.600"	.043", .043", 3.0mm File Fit	4605SS-043	4.145"	1/16", 1/16", 3/16" Drop In	4145MS
4.605"	.043", .043", 3.0mm File Fit	4610SS-043	4.155"	1/16", 1/16", 3/16" Drop In	4155MS
4.610"	.043", .043", 3.0mm File Fit	4615SS-043	4.165"	1/16", 1/16", 3/16" Drop In	4165MS
4.615"	.043", .043", 3.0mm File Fit	4620SS-043	4.185"	1/16", 1/16", 3/16" Drop In	4185MS
4.620"	.043", .043", 3.0mm File Fit	4625SS-043	4.250"	1/16", 1/16", 3/16" Drop In	4250MS
4.625"	.043", .043", 3.0mm File Fit	4630SS-043	4.280"	1/16", 1/16", 3/16" Drop In	4280MS
4.630"	.043", .043", 3.0mm File Fit	4635SS-043	4.310"	1/16", 1/16", 3/16" Drop In	4310MS
			4.330"	1/16", 1/16", 3/16" Drop In	4330MS
.043", 1.5mm, 3.0mm Standard Tension +.005" File Fit Rings			4.390"	1/16", 1/16", 3/16" Drop In	4390MS
4.125"	0.043", 1.5mm, 3.0mm File Fit	4130MS-1115	4.500"	1/16", 1/16", 3/16" Drop In	4500MS
4.130"	0.043", 1.5mm, 3.0mm File Fit	4135MS-1115	4.600"	1/16", 1/16", 3/16" Drop In	4600MS
4.135"	0.043", 1.5mm, 3.0mm File Fit	4140MS-1115	4.630"	1/16", 1/16", 3/16" Drop In	4630MS
4.140"	0.043", 1.5mm, 3.0mm File Fit	4145MS-1115			
4.160"	0.043", 1.5mm, 3.0mm File Fit	4165MS-1115	1/16, 1/16, 3/16" Low Tension +.005" File Fit Rings		
4.165"	0.043", 1.5mm, 3.0mm File Fit	4170MS-1115	4.030"	1/16, 1/16, 3/16" File Fit	4035ML
4.185"	0.043", 1.5mm, 3.0mm File Fit	4190MS-1115	4.040"	1/16, 1/16, 3/16" File Fit	4045ML
4.250"	0.043", 1.5mm, 3.0mm File Fit	4255MS-1115	4.045"	1/16, 1/16, 3/16" File Fit	4050ML
			4.060"	1/16, 1/16, 3/16" File Fit	4065ML
1.5mm Gas Nitrided Steel (GNS) Severe Duty Top Ring Sets (8cyl)			4.125"	1/16, 1/16, 3/16" File Fit	4130ML
4.280"	1.5mm GNS Top Ring File Fit	4280GNS-15T	4.135"	1/16, 1/16, 3/16" File Fit	4140ML
4.310"	1.5mm GNS Top Ring File Fit	4310GNS-15T	4.145"	1/16, 1/16, 3/16" File Fit	4150ML
4.320"	1.5mm GNS Top Ring File Fit	4320GNS-15T	4.155"	1/16, 1/16, 3/16" File Fit	4160ML
4.350"	1.5mm GNS Top Ring File Fit	4350GNS-15T	4.165"	1/16, 1/16, 3/16" File Fit	4170ML
4.375"	1.5mm GNS Top Ring File Fit	4375GNS-15T	4.310"	1/16, 1/16, 3/16" File Fit	4315ML
4.390"	1.5mm GNS Top Ring File Fit	4390GNS-15T	4.350"	1/16, 1/16, 3/16" File Fit	4355ML
4.440"	1.5mm GNS Top Ring File Fit	4440GNS-15T	4.375"	1/16, 1/16, 3/16" File Fit	4380ML
4.500"	1.5mm GNS Top Ring File Fit	4500GNS-15T	4.390"	1/16, 1/16, 3/16" File Fit	4395ML
4.530"	1.5mm GNS Top Ring File Fit	4530GNS-15T	4.500"	1/16, 1/16, 3/16" File Fit	4505ML
4.560"	1.5mm GNS Top Ring File Fit	4560GNS-15T	4.530"	1/16, 1/16, 3/16" File Fit	4535ML
4.600"	1.5mm GNS Top Ring File Fit	4600GNS-15T	4.600"	1/16, 1/16, 3/16" File Fit	4605ML
Specialty Rings					
3.662	1.2, 1.2, 2.0mm Drop In	3662MS-122			

To order a ring set for one cylinder
add a -1 after the part number.

See example below:

4030MS-112-1 Quantity 1

Pins, Rails & Expanders

Description	Part Number	Description	Part Number
Piston Pins		Oil Ring Support Rails (each)	
0.912 x 2.287 x 0.121W CH 87g LW	9900159	3.780-3.795 2mm Support Rail	1978854
0.927 x 2.287 x 0.129W CH 93g LW	9900184	3.800-3.815 2mm Support Rail	1979652
0.750 x 1.965 x 0.178W CH 80g	9864383	3.895-3.910 2mm Support Rail	9301947
0.792 x 2.250 x 0.140W CH 83g	9900211	3.915-3.930 2mm Support Rail	1979643
0.866 x 2.287 x 0.177W CH 112g	9900106	3.935-3.950 2mm Support Rail	1979644
0.866 x 2.405 x 0.177W CH 118g	6458160	4.000-4.015 2mm Support Rail	9301835
0.867 x 2.287 x 0.178W CH 112g	9900107	4.020-4.035 2mm Support Rail	1979645
0.912 x 2.287 x 0.171W CH 116g	6458152	4.040-4.055 2mm Support Rail	9301838
0.927 x 2.287 x 0.168W CH 118g	6457808	4.060-4.075 2mm Support Rail	1979646
0.945 x 2.287 x 0.177W CH 125g	9900079	4.080-4.095 2mm Support Rail	9301922
0.975 x 2.520 x 0.172W CH 130g	9311348	4.100-4.155 2mm Support Rail	1979647
0.984 x 2.287 x 0.162W CH 122g	9299391	4.125-4.140 2mm Support Rail	9301840
0.984 x 2.287 x 0.232W CH 160g	9849202	4.145-4.160 2mm Support Rail	1979648
0.990 x 2.520 x 0.180W CH 148g	7758139	4.165-4.180 2mm Support Rail	9301923
0.990 x 2.930 x 0.180W CH 171g	9887254	4.185-4.200 2mm Support Rail	1979649
1.094 x 2.520 x 0.163W CH 153g	9839256	4.240-4.255 2mm Support Rail	1977167
0.927 x 2.287 x 0.188W CH 128g HD	6457147	4.260-4.275 2mm Support Rail	1979650
0.927 x 2.287 x 0.188W CH 128g H13 HD	9301852	4.600-4.615 2mm Support Rail	1978581
0.928 x 2.287 x 0.188W CH 128g HD	9900108	4.620-4.635 2mm Support Rail	1979651
0.929 x 2.244 x 0.189W R 127g HD	6455117	83.0mm x 2.8mm Support Rail	9298427
0.943 x 2.287 x 0.200W CH 135g H13 HD	1978223	84.0mm x 2.8mm Support Rail	9298428
0.943 x 2.287 x 0.235W CH 154g HD	1978387	3.386-3.426 2.8mm Support Rail	1977799
0.945 x 2.287 x 0.217W CH 144g HD	9855196	3.504-3.544 2.8mm Support Rail	1977800
0.990 x 2.520 x 0.220W CH 171g HD	9866438	3.552-3.852 3mm Support Rail	9298594
0.990 x 2.750 x 0.220W CH 187g HD	9867483	3.780-3.820 3mm Support Rail	9301578
0.990 x 2.930 x 0.200W CH 184g HD	9887255	3.810-3.850 3mm Support Rail	9302399
1.094 x 2.850 x 0.200W 205g H13 HD	1978843	3.860-3.910 3mm Support Rail	9301680
0.866 x 2.287 x 0.177W CH 112g DLC	9288309	3.917-3.957 3mm Support Rail	9301501
0.927 x 2.287 x 0.168W CH 118g DLC	9298084	4.000-4.040 3mm Support Rail	9290024
0.927 x 2.287 x 0.188W CH 128g HD DLC	9288283	4.040-4.080 3mm Support Rail	9298684
0.990 x 2.520 x 0.180W CH 148g DLC	9298401	4.080-4.120 3mm Support Rail	9301133
		4.125-4.165 3mm Support Rail	9290032
		4.165-4.205 3mm Support Rail	9300686
		4.250-4.290 3mm Support Rail	9299227
		4.310-4.350 3mm Support Rail	9299226
		4.390-4.430 3mm Support Rail	1978390
		4.500-4.560 3mm Support Rail	9299228
		4.600-4.630 3mm Support Rail	9299225
		4.125-4.185 3/16" Support Rail	9298909
		4.250-4.290 3/16" Support Rail	9290040
		4.310-4.350 3/16" Support Rail	9298577
		4.500-4.560 3/16" Support Rail	9290057
		4.600-4.630 3/16" Support Rail	9300480
		3.0mm Oil Ring Standard Tension Rails (8cyl)	
		4.030" 3.0mm STD Tension Rails (16pcs)	4030-300R
		4.040" 3.0mm STD Tension Rails (16pcs)	4040-300R
		4.060" 3.0mm STD Tension Rails (16pcs)	4060-300R
		4.125" 3.0mm STD Tension Rails (16pcs)	4125-300R
		4.135" 3.0mm STD Tension Rails (16pcs)	4135-300R
		4.155" 3.0mm STD Tension Rails (16pcs)	4155-300R
		3.0mm Oil Ring Standard Tension Expanders (8cyl)	
		4.030" 3.0mm STD Tension Expanders (8pcs)	4030-300S
		4.040" 3.0mm STD Tension Expanders (8pcs)	4040-300S
		4.050" 3.0mm STD Tension Expanders (8pcs)	4050-300S
		4.060" 3.0mm STD Tension Expanders (8pcs)	4060-300S
		4.125" 3.0mm STD Tension Expanders (8pcs)	4125-300S
		4.135" 3.0mm STD Tension Expanders (8pcs)	4135-300S
		4.145" 3.0mm STD Tension Expanders (8pcs)	4145-300S
		4.155" 3.0mm STD Tension Expanders (8pcs)	4155-300S
		4.165" 3.0mm STD Tension Expanders (8pcs)	4165-300S

Sport Compact Pins

19 x 10 x 50mm CH 80g	9300337
20 x 10 x 50.0mm CH 92g	1978461
20 x 11.35 x 50.8mm CH 84g	1979306
20 x 10 x 59mm CH 106g	9885792
21 x 11 x 50mm CH 98g	9900109
21 x 11.5 x 54.3mm CH 100g	7967961
21 x 10.5 x 58.1mm CH 117g	9300427
22 x 12/17 x 48mm Tapered CH 93g	9851760
22 x 11.5 x 50.0mm CH 108g H13	1978844
22 x 12/15.7 x 52mm Taper CH 101g	9894428
22 x 9.3 x 52mm CH 125g H13	1979143
22 x 13 x 58.11mm CH 112g	9900106
22 x 13 x 58.11mm CH 112g DLC	9301792
22 x 11.5 x 58.11mm CH 126g H13	1977588
22.5 x 12.5 x 52mm CH 112g H13	1977483
23 x 13 x 50.0mm CH 109g	9851913
23 x 13.5 x 57.404mm R 124g	9298392
23 x 13.5 x 57.404mm CH 122g	9299383

Diesel Pins

34.0 x 20 x 65.3mm R 294g	BUL33087356230
34.5 x 18 x 77.5mm R 410g	9858953
34.5 x 18 x 77.5mm R 410g DLC	9300916
40.0 x 19 x 82.8mm R 628g	9858954
40.0 x 19 x 82.8mm R 628g DLC	9299823
40.0 x 19 x 75.8 R 575g	1979475
40.0 x 17 x 58.0mm Taper R 430g DLC	9300738

LW = Light Weight
 HD = Heavy Duty
 CH = Chamfered
 W = Wall Thickness
 R = Radiused
 DLC = DLC Coated

Have more questions about this product?

Contact MAHLE Motorsport at 888-255-1942

