

# Ring Sets

Finish Bore	Description	Set Part Number	Finish Bore	Description	Set Part Number
<b>1.0mm, 1.0mm, 2.0mm Standard Tension +.005 File Fit Rings</b>			<b>1.0mm, 1.0mm, 2.0mm Standard Tension Drop In Rings</b>		
3.552"	1.0, 1.0, 2.0mm File Fit	3557MS-112	4.000"	1.0, 1.0, 2.0mm Drop-In	4000MS-112D
3.572"	1.0, 1.0, 2.0mm File Fit	3577MS-112	4.030"	1.0, 1.0, 2.0mm Drop-In	4030MS-112D
3.582"	1.0, 1.0, 2.0mm File Fit	3587MS-112	4.040"	1.0, 1.0, 2.0mm Drop-In	4040MS-112D
3.622"	1.0, 1.0, 2.0mm File Fit	3627MS-112	4.055"	1.0, 1.0, 2.0mm Drop-In	4055MS-112D
3.630"	1.0, 1.0, 2.0mm File Fit	3635MS-112	4.075"	1.0, 1.0, 2.0mm Drop-In	4075MS-112D
3.640"	1.0, 1.0, 2.0mm File Fit	3645MS-112	4.095"	1.0, 1.0, 2.0mm Drop-In	4095MS-112D
3.662"	1.0, 1.0, 2.0mm File Fit	3667MS-112	4.125"	1.0, 1.0, 2.0mm Drop-In	4125MS-112D
3.701"	1.0, 1.0, 2.0mm File Fit	3706MS-112	4.155"	1.0, 1.0, 2.0mm Drop-In	4155MS-112D
3.766"	1.0, 1.0, 2.0mm File Fit	3771MS-112			
3.776"	1.0, 1.0, 2.0mm File Fit	3781MS-112	<b>1.5mm, 1.5mm, 3.0mm Standard Tension +.005" File Fit Rings</b>		
3.780"	1.0, 1.0, 2.0mm File Fit	3785MS-112	3.571"	1.5, 1.5, 3.0mm File Fit	3576MS-15
3.786"	1.0, 1.0, 2.0mm File Fit	3791MS-112	3.581"	1.5, 1.5, 3.0mm File Fit	3586MS-15
3.790"	1.0, 1.0, 2.0mm File Fit	3795MS-112	3.810"	1.5, 1.5, 3.0mm 4cyl File Fit	3815MS-15
3.796"	1.0, 1.0, 2.0mm File Fit	3801MS-112	3.830"	1.5, 1.5, 3.0mm 4cyl File Fit	3835MS-15
3.800"	1.0, 1.0, 2.0mm File Fit	3805MS-112	3.898"	1.5, 1.5, 3.0mm File Fit	3903MS-15
3.810"	1.0, 1.0, 2.0mm File Fit	3815MS-112	3.905"	1.5, 1.5, 3.0mm File Fit	3910MS-15
3.820"	1.0, 1.0, 2.0mm File Fit	3825MS-112	4.000"	1.5, 1.5, 3.0mm File Fit	4005MS-15
3.830"	1.0, 1.0, 2.0mm File Fit	3835MS-112	4.005"	1.5, 1.5, 3.0mm File Fit	4010MS-15
3.898"	1.0, 1.0, 2.0mm File Fit	3903MS-112	4.010"	1.5, 1.5, 3.0mm File Fit	4015MS-15
3.905"	1.0, 1.0, 2.0mm File Fit	3910MS-112	4.020"	1.5, 1.5, 3.0mm File Fit	4025MS-15
3.917"	1.0, 1.0, 2.0mm File Fit	3922MS-112	4.030"	1.5, 1.5, 3.0mm File Fit	4035MS-15
3.917"	1.0, 1.0, 2.0mm 4cyl File Fit	3922MS-112-4	4.040"	1.5, 1.5, 3.0mm File Fit	4045MS-15
3.927"	1.0, 1.0, 2.0mm File Fit	3932MS-112	4.050"	1.5, 1.5, 3.0mm File Fit	4055MS-15
3.927"	1.0, 1.0, 2.0mm 4cyl File Fit	3932MS-112-4	4.060"	1.5, 1.5, 3.0mm File Fit	4065MS-15
3.937"	1.0, 1.0, 2.0mm File Fit	3942MS-112	4.065"	1.5, 1.5, 3.0mm File Fit	4070MS-15
3.937"	1.0, 1.0, 2.0mm 4cyl File Fit	3942MS-112-4	4.070"	1.5, 1.5, 3.0mm File Fit	4075MS-15
3.947"	1.0, 1.0, 2.0mm File Fit	3952MS-112	4.080"	1.5, 1.5, 3.0mm File Fit	4085MS-15
4.000"	1.0, 1.0, 2.0mm File Fit	4005MS-112	4.090"	1.5, 1.5, 3.0mm File Fit	4095MS-15
4.005"	1.0, 1.0, 2.0mm File Fit	4010MS-112	4.125"	1.5, 1.5, 3.0mm File Fit	4130MS-15
4.010"	1.0, 1.0, 2.0mm File Fit	4015MS-112	4.130"	1.5, 1.5, 3.0mm File Fit	4135MS-15
4.020"	1.0, 1.0, 2.0mm File Fit	4025MS-112	4.135"	1.5, 1.5, 3.0mm File Fit	4140MS-15
4.025"	1.0, 1.0, 2.0mm File Fit	4030MS-112	4.140"	1.5, 1.5, 3.0mm File Fit	4145MS-15
4.030"	1.0, 1.0, 2.0mm File Fit	4035MS-112	4.145"	1.5, 1.5, 3.0mm File Fit	4150MS-15
4.035"	1.0, 1.0, 2.0mm File Fit	4040MS-112	4.150"	1.5, 1.5, 3.0mm File Fit	4155MS-15
4.040"	1.0, 1.0, 2.0mm File Fit	4045MS-112	4.155"	1.5, 1.5, 3.0mm File Fit	4160MS-15
4.045"	1.0, 1.0, 2.0mm File Fit	4050MS-112	4.160"	1.5, 1.5, 3.0mm File Fit	4165MS-15
4.050"	1.0, 1.0, 2.0mm File Fit	4055MS-112	4.165"	1.5, 1.5, 3.0mm File Fit	4170MS-15
4.055"	1.0, 1.0, 2.0mm File Fit	4060MS-112	4.250"	1.5, 1.5, 3.0mm File Fit	4255MS-15
4.060"	1.0, 1.0, 2.0mm File Fit	4065MS-112	4.280"	1.5, 1.5, 3.0mm File Fit	4285MS-15
4.065"	1.0, 1.0, 2.0mm File Fit	4070MS-112	4.310"	1.5, 1.5, 3.0mm File Fit	4315MS-15
4.070"	1.0, 1.0, 2.0mm File Fit	4075MS-112	4.320"	1.5, 1.5, 3.0mm File Fit	4325MS-15
4.075"	1.0, 1.0, 2.0mm File Fit	4080MS-112	4.350"	1.5, 1.5, 3.0mm File Fit	4355MS-15
4.080"	1.0, 1.0, 2.0mm File Fit	4085MS-112	4.375"	1.5, 1.5, 3.0mm File Fit	4380MS-15
4.090"	1.0, 1.0, 2.0mm File Fit	4095MS-112	4.390"	1.5, 1.5, 3.0mm File Fit	4395MS-15
4.100"	1.0, 1.0, 2.0mm File Fit	4105MS-112	4.440"	1.5, 1.5, 3.0mm File Fit	4445MS-15
4.120"	1.0, 1.0, 2.0mm File Fit	4125MS-112	4.500"	1.5, 1.5, 3.0mm File Fit	4505MS-15
4.125"	1.0, 1.0, 2.0mm File Fit	4130MS-112	4.530"	1.5, 1.5, 3.0mm File Fit	4535MS-15
4.130"	1.0, 1.0, 2.0mm File Fit	4135MS-112	4.560"	1.5, 1.5, 3.0mm File Fit	4565MS-15
4.135"	1.0, 1.0, 2.0mm File Fit	4140MS-112			
4.140"	1.0, 1.0, 2.0mm File Fit	4145MS-112	<b>1.5mm, 1.5mm, 3.0mm Standard Tension Drop In Rings</b>		
4.145"	1.0, 1.0, 2.0mm File Fit	4150MS-112	3.551"	1.5, 1.5, 3.0 mm Drop In	3551MS-15
4.150"	1.0, 1.0, 2.0mm File Fit	4155MS-112	3.937"	1.5, 1.5, 3.0 mm Drop In	3937MS-15
4.155"	1.0, 1.0, 2.0mm File Fit	4160MS-112	3.947"	1.5, 1.5, 3.0 mm Drop In	3947MS-15
4.160"	1.0, 1.0, 2.0mm File Fit	4165MS-112	4.000"	1.5, 1.5, 3.0 mm Drop In	4000MS-15D
4.165"	1.0, 1.0, 2.0mm File Fit	4170MS-112	4.030"	1.5, 1.5, 3.0 mm Drop In	4030MS-15D
4.170"	1.0, 1.0, 2.0mm File Fit	4175MS-112	4.040"	1.5, 1.5, 3.0 mm Drop In	4040MS-15D
4.175"	1.0, 1.0, 2.0mm File Fit	4180MS-112	4.125"	1.5, 1.5, 3.0 mm Drop In	4125MS-15D
4.180"	1.0, 1.0, 2.0mm File Fit	4185MS-112	4.155"	1.5, 1.5, 3.0 mm Drop In	4155MS-15D
4.185"	1.0, 1.0, 2.0mm File Fit	4190MS-112	4.600"	1.5, 1.5, 3.0 mm Drop In	4600MS-15D
4.220"	1.0, 1.0, 2.0mm File Fit	4225MS-112			
4.225"	1.0, 1.0, 2.0mm File Fit	4230MS-112			
4.245"	1.0, 1.0, 2.0mm File Fit	4250MS-112			
4.250"	1.0, 1.0, 2.0mm File Fit	4255MS-112			
4.255"	1.0, 1.0, 2.0mm File Fit	4260MS-112			
4.260"	1.0, 1.0, 2.0mm File Fit	4265MS-112			
4.265"	1.0, 1.0, 2.0mm File Fit	4270MS-112			
4.270"	1.0, 1.0, 2.0mm File Fit	4275MS-112			
4.280"	1.0, 1.0, 2.0mm File Fit	4285MS-112			

# Ring Sets

Finish Bore	Description	Set Part Number	Finish Bore	Description	Set Part Number
<b>.043", .043", 3.0mm Low Tension +.005" File Fit Rings</b>			<b>1/16, 1/16, 3/16" Standard Tension Drop In Rings</b>		
3.766"	.043", .043", 3.0mm File Fit	3771MS-043	4.000"	1/16, 1/16, 3/16" Drop In	4000MS
3.786"	.043", .043", 3.0mm File Fit	3791MS-043	4.030"	1/16", 1/16", 3/16" Drop In	4030MS
4.010"	.043", .043", 3.0mm File Fit	4015ML-043	4.040"	1/16", 1/16", 3/16" Drop In	4040MS
4.020"	.043", .043", 3.0mm File Fit	4025ML-043	4.060"	1/16", 1/16", 3/16" Drop In	4060MS
4.030"	.043", .043", 3.0mm File Fit	4035ML-043	4.080"	1/16", 1/16", 3/16" Drop In	4080MS
4.035"	.043", .043", 3.0mm File Fit	4040ML-043	4.125"	1/16", 1/16", 3/16" Drop In	4125MS
4.040"	.043", .043", 3.0mm File Fit	4045ML-043	4.145"	1/16", 1/16", 3/16" Drop In	4145MS
4.045"	.043", .043", 3.0mm File Fit	4050ML-043	4.155"	1/16", 1/16", 3/16" Drop In	4155MS
4.050"	.043", .043", 3.0mm File Fit	4055ML-043	4.165"	1/16", 1/16", 3/16" Drop In	4165MS
4.060"	.043", .043", 3.0mm File Fit	4065ML-043	4.185"	1/16", 1/16", 3/16" Drop In	4185MS
4.065"	.043", .043", 3.0mm File Fit	4070ML-043	4.250"	1/16", 1/16", 3/16" Drop In	4250MS
4.070"	.043", .043", 3.0mm File Fit	4075ML-043	4.280"	1/16", 1/16", 3/16" Drop In	4280MS
4.125"	.043", .043", 3.0mm File Fit	4130ML-043	4.310"	1/16", 1/16", 3/16" Drop In	4310MS
4.140"	.043", .043", 3.0mm File Fit	4145ML-043	4.330"	1/16", 1/16", 3/16" Drop In	4330MS
4.155"	.043", .043", 3.0mm File Fit	4160ML-043	4.390"	1/16", 1/16", 3/16" Drop In	4390MS
4.165"	.043", .043", 3.0mm File Fit	4170ML-043	4.500"	1/16", 1/16", 3/16" Drop In	4500MS
4.185"	.043", .043", 3.0mm File Fit	4190ML-043	4.600"	1/16", 1/16", 3/16" Drop In	4600MS
<b>.043", .043", 3.0mm Steel Low Tension +.005" File Fit Rings</b>			<b>1/16, 1/16, 3/16" Low Tension +.005" File Fit Rings</b>		
4.600"	.043", .043", 3.0mm File Fit	4605SL-043	4.030"	1/16, 1/16, 3/16" File Fit	4035ML
4.605"	.043", .043", 3.0mm File Fit	4610SL-043	4.040"	1/16, 1/16, 3/16" File Fit	4045ML
4.610"	.043", .043", 3.0mm File Fit	4615SL-043	4.060"	1/16, 1/16, 3/16" File Fit	4065ML
4.625"	.043", .043", 3.0mm File Fit	4630SL-043	4.125"	1/16, 1/16, 3/16" File Fit	4130ML
<b>.043", .043", 3.0mm Steel Standard Tension +.005" File Fit Rings</b>			4.135"	1/16, 1/16, 3/16" File Fit	4140ML
4.600"	.043", .043", 3.0mm File Fit	4605SS-043	4.145"	1/16, 1/16, 3/16" File Fit	4150ML
4.605"	.043", .043", 3.0mm File Fit	4610SS-043	4.155"	1/16, 1/16, 3/16" File Fit	4160ML
4.610"	.043", .043", 3.0mm File Fit	4615SS-043	4.165"	1/16, 1/16, 3/16" File Fit	4170ML
4.615"	.043", .043", 3.0mm File Fit	4620SS-043	4.310"	1/16, 1/16, 3/16" File Fit	4315ML
4.620"	.043", .043", 3.0mm File Fit	4625SS-043	4.350"	1/16, 1/16, 3/16" File Fit	4355ML
4.625"	.043", .043", 3.0mm File Fit	4630SS-043	4.500"	1/16, 1/16, 3/16" File Fit	4505ML
4.630"	.043", .043", 3.0mm File Fit	4635SS-043	4.600"	1/16, 1/16, 3/16" File Fit	4605ML
<b>0.043", 1.5mm, 3.0mm Standard Tension +.005" File Fit Rings</b>			<b>1.5mm Gas Nitrided Steel (GNS) Severe Duty Top Ring Sets (8cyl)</b>		
4.125"	0.043", 1.5mm, 3.0mm File Fit	4130MS-1115	4.280"	1.5mm GNS Top Ring File Fit	4280GNS-15T
4.130"	0.043", 1.5mm, 3.0mm File Fit	4135MS-1115	4.310"	1.5mm GNS Top Ring File Fit	4310GNS-15T
4.135"	0.043", 1.5mm, 3.0mm File Fit	4140MS-1115	4.320"	1.5mm GNS Top Ring File Fit	4320GNS-15T
4.140"	0.043", 1.5mm, 3.0mm File Fit	4145MS-1115	4.350"	1.5mm GNS Top Ring File Fit	4350GNS-15T
4.160"	0.043", 1.5mm, 3.0mm File Fit	4165MS-1115	4.375"	1.5mm GNS Top Ring File Fit	4375GNS-15T
4.185"	0.043", 1.5mm, 3.0mm File Fit	4190MS-1115	4.390"	1.5mm GNS Top Ring File Fit	4390GNS-15T
<b>1/16, 1/16, 3/16" Standard Tension +.005" File Fit Rings</b>			4.440"	1.5mm GNS Top Ring File Fit	4440GNS-15T
4.020"	1/16, 1/16, 3/16" File Fit	4025MS	4.500"	1.5mm GNS Top Ring File Fit	4500GNS-15T
4.030"	1/16, 1/16, 3/16" File Fit	4035MS	4.530"	1.5mm GNS Top Ring File Fit	4530GNS-15T
4.040"	1/16, 1/16, 3/16" File Fit	4045MS	4.560"	1.5mm GNS Top Ring File Fit	4560GNS-15T
4.060"	1/16, 1/16, 3/16" File Fit	4065MS	4.600"	1.5mm GNS Top Ring File Fit	4600GNS-15T
4.070"	1/16, 1/16, 3/16" File Fit	4075MS	<b>Specialty Rings</b>		
4.125"	1/16, 1/16, 3/16" File Fit	4130MS	3.662	1.2, 1.2, 2.0mm Drop In	3662MS-122
4.145"	1/16, 1/16, 3/16" File Fit	4150MS			
4.155"	1/16, 1/16, 3/16" File Fit	4160MS			
4.165"	1/16, 1/16, 3/16" File Fit	4170MS			
4.185"	1/16, 1/16, 3/16" File Fit	4190MS			
4.250"	1/16, 1/16, 3/16" File Fit	4255MS			
4.280"	1/16, 1/16, 3/16" File Fit	4285MS			
4.310"	1/16, 1/16, 3/16" File Fit	4315MS			
4.320"	1/16, 1/16, 3/16" File Fit	4325MS			
4.350"	1/16, 1/16, 3/16" File Fit	4355MS			
4.375"	1/16, 1/16, 3/16" File Fit	4380MS			
4.440"	1/16, 1/16, 3/16" File Fit	4445MS			
4.470"	1/16, 1/16, 3/16" File Fit	4475MS			
4.500"	1/16, 1/16, 3/16" File Fit	4505MS			
4.530"	1/16, 1/16, 3/16" File Fit	4535MS			
4.560"	1/16, 1/16, 3/16" File Fit	4565MS			
4.600"	1/16, 1/16, 3/16" File Fit	4605MS			

# Sport Compact & Diesel Ring Sets, Clips

Finish Bore	Description	Set Part Number	Finish Bore	Description	Set Part Number
<b>Sport Compact Rings</b>			<b>Diesel Ring Sets</b>		
81.00 mm	1.0, 1.2, 2.8mm Drop In	8100MS-10	4.055"	DMAX 3.0K, 2.0, 3.0mm Steel DSL (8cyl)	4055MDK-D
81.25 mm	1.0, 1.2, 2.8mm Drop In	8125MS-10	4.075"	DMAX 3.0K, 2.0, 3.0mm Steel DSL (8cyl)	4075MDK-D
81.50 mm	1.0, 1.2, 2.8mm Drop In	8150MS-10	4.095"	DMAX 3.0K, 2.0, 3.0mm Steel DSL (8cyl)	4095MDK-D
81.50 mm	1.0, 1.2, 2.8mm Drop In (6cyl)	8150MS6-10	4.055"	DMAX 1/16, 2.0, 3.0mm Steel DSL (8cyl)	4055MDR
82.00 mm	1.0, 1.2, 2.8mm Drop In	8200MS-10	4.075"	DMAX 1/16, 2.0, 3.0mm Steel DSL (8cyl)	4075MDR
82.50 mm	1.0, 1.2, 2.8mm Drop In	8250MS-10	4.095"	DMAX 1/16, 2.0, 3.0mm Steel DSL (8cyl)	4095MDR
83.00 mm	1.2, 1.2, 2.8mm Drop In	8300MS-12	4.015"	CUMMINS B 5.9L (STD) DSL (1cyl)	S42170-STD
83.50 mm	1.2, 1.2, 2.8mm Drop In	8350MS-12	4.035"	CUMMINS B 5.9L (+020) DSL (1cyl)	S42170-020
84.00 mm	1.0, 1.2, 2.8mm Drop In (6cyl)	8400MS-10-6	4.055"	CUMMINS B 5.9L (+040) DSL (1cyl)	S42170-040
84.50 mm	1.0, 1.2, 2.8mm Drop In (6cyl)	8450MS-10-6	4.110"	FORD 7.3L (STD) DSL (1cyl)	S41768-STD
85.00 mm	1.2, 1.2, 2.8mm Drop In	8500MS-12	4.130"	FORD 7.3L (+020) DSL (1cyl)	S41768-020
85.50 mm	1.2, 1.2, 2.8mm Drop In	8550MS-12	4.170"	FORD 7.3L (+040) DSL (1cyl)	S41768-040
86.00 mm	1.2, 1.2, 2.8mm Drop In	8600MS-12	3.740"	FORD 6.0L (STD) DSL (8cyl)	41940-STD
86.00 mm	1.2, 1.2, 2.8mm Drop In (6cyl)	8600MS6-12	3.750"	FORD 6.0L (+010) DSL (8cyl)	41940-010
86.50 mm	1.2, 1.2, 2.8mm Drop In	8650MS-12	3.760"	FORD 6.0L (+020) DSL (8cyl)	41940-020
86.50 mm	1.2, 1.2, 2.8mm Drop In (6cyl)	8650MS6-12	3.770"	FORD 6.0L (+030) DSL (8cyl)	41940-030
87.00 mm	1.2, 1.2, 2.8mm Drop In	8700MS-12	3.780"	FORD 6.0L (+040) DSL (8cyl)	41940-040
87.00 mm	1.2, 1.2, 2.8mm Drop In (6cyl)	8700MS6-12	3.740"	FORD 6.4L (STD) DSL (8cyl)	42246-STD
87.25 mm	1.2, 1.2, 2.8mm Drop In	8725MS-12	3.750"	FORD 6.4L (+010) DSL (8cyl)	42246-010
87.25 mm	1.2, 1.2, 2.8mm Drop In (6cyl)	8725MS6-12	3.760"	FORD 6.4L (+020) DSL (8cyl)	42246-020
87.50 mm	1.2, 1.2, 2.8mm Drop In	8750MS-12	3.770"	FORD 6.4L (+030) DSL (8cyl)	42246-030
87.50 mm	1.2, 1.2, 2.8mm Drop In (6cyl)	8750MS6-12			
88.00 mm	1.2, 1.2, 2.8mm Drop In	8800MS-12			
89.00 mm	1.2, 1.2, 2.8mm Drop In	8900MS-12	4.015"	1/16, 1/16, 3/16" Steel Top File Fit (6cyl)	930044015-6
89.50 mm	1.2, 1.2, 2.8mm Drop In	8950MS-12	4.035"	1/16, 1/16, 3/16" Steel Top File Fit (6cyl)	930044035-6
92.00 mm	1.2, 1.2, 2.5mm Drop In	9200MS-12	4.055"	1/16, 1/16, 3/16" Steel Top File Fit (6cyl)	930044055-6
92.30 mm	1.2, 1.2, 2.5mm Drop In (6cyl)	9230MS6-12	4.213"	1/16, 1/16, 3/16" Steel Top File Fit (6cyl)	197850213-6
92.38 mm	1.2, 1.2, 2.5mm Drop In (6cyl)	9238MS6-12	4.233"	1/16, 1/16, 3/16" Steel Top File Fit (6cyl)	197850233-6
92.50 mm	1.2, 1.2, 2.5mm Drop In	9250MS-12	4.253"	1/16, 1/16, 3/16" Steel Top File Fit (6cyl)	197850253-6
92.76 mm	1.2, 1.2, 2.5mm Drop In (6cyl)	9276MS6-12			
93.00 mm	1.2, 1.2, 2.5mm Drop In	9300MS-12			
94.00 mm	1.2, 1.2, 2.5mm Drop In	9400MS-12			
95.50 mm	1.2, 1.2, 2.5mm Drop In	9550MS-12	4.055"	1/16 AP SS (STD) Top Ring (1cyl)	930098655
96.00 mm	1.2, 1.2, 2.5mm Drop In	9600MS-12	4.075"	1/16 AP SS (+020) Top Ring (1cyl)	930098675
99.50 mm	1.2, 1.5, 2.8mm File Fit	9950MS-12	4.095"	1/16 AP SS (+040) Top Ring (1cyl)	930098695
99.75 mm	1.2, 1.5, 2.8mm File Fit	9975MS-12	4.095"	1/16 AP SS (+040) Top Ring (1cyl)	930098695
100.00 mm	1.2, 1.5, 2.8mm File Fit	1000MS-12			
<b>Clips (each) w/o tang</b>			<b>Clips (each) w/ tang</b>		
0.787" x 1.6mm Round Wire Lock		9900112	0.927" x 1.6mm Round Wire Lock w/ tang		6436901
0.792" x 1.6mm Round Wire Lock		9900215	0.990" x 1.6mm Round Wire Lock w/ tang		6442990
0.827" x 1.6mm Round Wire Lock		9900110			
0.866" x 1.6mm Round Wire Lock		2042968	16.5mm x 1.6mm Round Wire Lock w/ tang		9868897
0.912" x 1.6mm Round Wire Lock		6458129	17mm x 1.6mm Round Wire Lock w/ tang		6456545
0.927" x 1.6mm Round Wire Lock		6441489	18mm x 1.6mm Round Wire Lock w/ tang		9900551
0.945" x 1.6mm Round Wire Lock		9900539	19mm x 1.6mm Round Wire Lock w/ tang		4399150
0.990" x 1.6mm Round Wire Lock		6458137	20mm x 1.3mm Round Wire Lock w/ tang		98417180
			20mm x 1.6mm Round Wire Lock w/ tang		5871090
20mm x 1.6mm Round Wire Lock		9900112	21mm x 1.6mm Round Wire Lock w/ tang		3888765
21mm x 1.6mm Round Wire Lock		9900110	22mm x 1.6mm Round Wire Lock w/ tang		4394680
22mm x 1.6mm Round Wire Lock		2042968	24mm x 1.6mm Round Wire Lock w/ tang		6442412
23mm x 1.6mm Round Wire Lock		9315805			
23mm OE Subaru (double tang)		9298265			
24mm x 1.6mm Round Wire Lock		9900539			
<b>Lock'N Tool</b>			<b>Diesel Clips (each)</b>		
Clip insertion tool for .927" clip		W-927	34 x 1.5mm Diesel Circlip		BUL1012210
Clip insertion tool for .990" clip		W-990	34.5 x 1.5mm Diesel Circlip		1977523
			40 x 1.75mm Diesel Circlip		BUL1008230

# Pins, Rails, & Expanders

Description	Part Number	Description	Part Number	
<b>Piston Pins</b>		<b>Oil Ring Support Rails (each)</b>		
0.912 x 2.287 x 0.121W CH 87g LW	9900159	3.780-3.795 2mm Support Rail	1978854	
0.927 x 2.287 x 0.129W CH 93g LW	9900184	3.800-3.815 2mm Support Rail	1979652	
0.750 x 1.965 x 0.178W CH 80g	9864383	3.895-3.910 2mm Support Rail	9301947	
0.792 x 2.250 x 0.140W CH 83g	9900211	3.915-3.930 2mm Support Rail	1979643	
0.866 x 2.287 x 0.177W CH 112g	9900106	3.935-3.950 2mm Support Rail	1979644	
0.866 x 2.405 x 0.177W CH 118g	6458160	4.000-4.015 2mm Support Rail	9301835	
0.867 x 2.287 x 0.178W CH 112g	9900107	4.020-4.035 2mm Support Rail	1979645	
0.912 x 2.287 x 0.171W CH 116g	6458152	4.040-4.055 2mm Support Rail	9301838	
0.927 x 2.287 x 0.168W CH 118g	6457808	4.060-4.075 2mm Support Rail	1979646	
0.945 x 2.287 x 0.177W CH 125g	9900079	4.080-4.095 2mm Support Rail	9301922	
0.975 x 2.520 x 0.172W CH 130g	9311348	4.100-4.155 2mm Support Rail	1979647	
0.984 x 2.287 x 0.162W CH 122g	9299391	4.125-4.140 2mm Support Rail	9301840	
0.984 x 2.287 x 0.232W CH 160g	9849202	4.145-4.160 2mm Support Rail	1979648	
0.990 x 2.520 x 0.180W CH 148g	7758139	4.165-4.180 2mm Support Rail	9301923	
0.990 x 2.930 x 0.180W CH 171g	9887254	4.185-4.200 2mm Support Rail	1979649	
1.094 x 2.520 x 0.163W CH 153g	9839256	4.240-4.255 2mm Support Rail	1977167	
0.927 x 2.287 x 0.188W CH 128g HD	6457147	4.260-4.275 2mm Support Rail	1979650	
0.927 x 2.287 x 0.188W CH 128g H13 HD	9301852	4.600-4.615 2mm Support Rail	1978581	
0.943 x 2.287 x 0.200W CH 135g H13 HD	1978223	<u>4.620-4.635 2mm Support Rail</u>	1979651	
0.943 x 2.287 x 0.235W CH 154g HD	1978387	83.0mm x 2.8mm Support Rail	9298427	
0.945 x 2.287 x 0.217W CH 144g HD	9855196	84.0mm x 2.8mm Support Rail	9298428	
0.990 x 2.520 x 0.220W (taper) CH 161g HD	9894060	3.386-3.426 2.8mm Support Rail	1977799	
0.990 x 2.750 x 0.220W CH 187g HD	9867483	<u>3.504-3.544 2.8mm Support Rail</u>	1977800	
0.990 x 2.930 x 0.200W CH 184g HD	9887255	3.552-3.852 3mm Support Rail	9298594	
<u>1.094 x 2.850 x 0.200W 205g H13 HD</u>	<u>1978843</u>	3.780-3.820 3mm Support Rail	9301578	
0.866 x 2.287 x 0.177W CH 112g DLC	9288309	3.810-3.850 3mm Support Rail	9302399	
0.927 x 2.287 x 0.168W CH 118g DLC	9298084	3.860-3.910 3mm Support Rail	9301680	
0.927 x 2.287 x 0.188W CH 128g HD DLC	9288283	3.917-3.957 3mm Support Rail	9301501	
0.990 x 2.520 x 0.180W CH 148g DLC	9298401	4.000-4.040 3mm Support Rail	9290024	
<b>Sport Compact Pins</b>		4.040-4.080 3mm Support Rail	9298684	
19 x 10 x 50mm CH 80g	9300337	4.080-4.120 3mm Support Rail	9301133	
20 x 10 x 50.0mm CH 92g	1978461	4.125-4.165 3mm Support Rail	9290032	
20 x 11.35 x 50.8mm CH 84g	1979306	4.165-4.205 3mm Support Rail	9300686	
20 x 10 x 59mm CH 106g	9885792	4.250-4.290 3mm Support Rail	9299227	
21 x 11 x 50mm CH 98g	9900109	4.310-4.350 3mm Support Rail	9299226	
21 x 11.5 x 54.3mm CH 100g	9967961	4.390-4.430 3mm Support Rail	1978390	
21 x 10.5 x 58.1mm CH 117g	9300427	4.500-4.560 3mm Support Rail	9299228	
22 x 12/17 x 48mm Tapered CH 93g	9851760	<u>4.600-4.630 3mm Support Rail</u>	<u>9299225</u>	
22 x 11.5 x 50.0mm CH 108g H13	1978844	4.125-4.185 3/16" Support Rail	9298909	
22 x 12/15.7 x 52mm Taper CH 101g	9894428	4.250-4.290 3/16" Support Rail	9290040	
22 x 9.3 x 52mm CH 125g H13	1979143	4.310-4.350 3/16" Support Rail	9298577	
22 x 13 x 58.11mm CH 112g	9900106	4.500-4.560 3/16" Support Rail	9290057	
22 x 13 x 58.11mm CH 112g DLC	9301792	4.600-4.630 3/16" Support Rail	9300480	
22 x 11.5 x 58.11mm CH 126g H13	1977588	<b>3.0mm Oil Ring Standard Tension Rails (8cyl)</b>		
22.5 x 12.5 x 52mm CH 112g H13	1977483	4.060"	3.0mm STD Tension Rails (16pcs)	4060-300R
23 x 13 x 50.0mm CH 109g	9851913	4.125"	3.0mm STD Tension Rails (16pcs)	4125-300R
23 x 13.5 x 57.404mm R 124g	9298392	4.135"	3.0mm STD Tension Rails (16pcs)	4135-300R
23 x 13.5 x 57.404mm CH 122g	9299383	4.155"	3.0mm STD Tension Rails (16pcs)	4155-300R
<b>Diesel Pins</b>		<b>3.0mm Oil Ring Standard Tension Expanders (8cyl)</b>		
34.0 x 20 x 65.3mm R 294g	BUL33087356230	4.030"	3.0mm STD Tension Expanders (8pcs)	4030-300S
34.5 x 18 x 77.5mm R 410g	9858953	4.040"	3.0mm STD Tension Expanders (8pcs)	4040-300S
34.5 x 18 x 77.5mm R 410g DLC	9300916	4.050"	3.0mm STD Tension Expanders (8pcs)	4050-300S
40.0 x 19 x 82.8mm R 628g	9858954	4.060"	3.0mm STD Tension Expanders (8pcs)	4060-300S
40.0 x 19 x 82.8mm R 628g DLC	9299823	4.125"	3.0mm STD Tension Expanders (8pcs)	4125-300S
40.0 x 19 x 75.8 R 575g	1979475	4.135"	3.0mm STD Tension Expanders (8pcs)	4135-300S
40.0 x 17 x 58.0mm Taper R 430g DLC	9300738	4.145"	3.0mm STD Tension Expanders (8pcs)	4145-300S
4.155"		4.155"	3.0mm STD Tension Expanders (8pcs)	4155-300S

**LW = Light Weight**  
**HD = Heavy Duty**  
**CH = Chamfered**  
**W = Wall Thickness**  
**R = Radiused**  
**DLC = DLC Coated**