

# Small Block Chevy High Output 2bbl 22°/23° Flat Top PowerPak Piston Set



Cubic Inches	Bore	Stroke	Rod	Comp Height	Pin Diam.	Crown Vol	Wght G	Compression Ratio			Alloy	Clearance Guide Meas.		Part No.	
SMALL BLOCK CHEVY HIGH OUTPUT 2bbl 22°/23° FLAT TOP Gasported / Asymmetrical Valve Pockets PowerPak Plus															
1.0, 1.0, 2.0mm File Fit Performance Ring set included															
Light Weight 92g pins included											58cc	64cc	70cc		
357	4.030	3.500	5.700	1.550	0.927	- 4.1cc	429	11.4	10.6	9.9	4032	0.500	0.0036	0.0044	930202530
358	4.035						431	11.4	10.6	9.9					930202535
359	4.040						433	11.4	10.6	9.9					930202540
360	4.045						435	11.5	10.6	9.9					930202545
361	4.050						437	11.5	10.7	10.0					930202550
362	4.060						441	11.5	10.7	10.0					930202560
357	4.030	3.500	6.000	1.250	0.927	- 4.1cc	393	11.4	10.6	9.9	4032	0.250	0.0036	0.0044	930202630
358	4.035						395	11.4	10.6	9.9					930202635
359	4.040						397	11.4	10.6	9.9					930202640
360	4.045						398	11.5	10.6	9.9					930202645
361	4.050						400	11.5	10.7	10.0					930202650
362	4.060						404	11.5	10.7	10.0					930202660
357	4.030	3.500	6.125	1.125	0.927	- 4.1cc	377	11.4	10.6	9.9	4032	0.250	0.0036	0.0044	930202830
359	4.040						380	11.4	10.6	9.9					930202840
383	4.030	3.750	6.000	1.125	0.927	- 4.1cc	377	12.1	11.3	10.5	4032	0.250	0.0036	0.0044	930202830
385	4.040						380	12.2	11.3	10.5					930202840

**Meas.** = The location to measure piston-to-wall clearance, referenced from the bottom of the piston skirt.  
 "Min" and "Max" is the suggested range of clearance over the coating for each application.  
**Compression Ratio** - calculated at zero deck and 0.040" gasket unless otherwise noted

Have more questions about this product?

Contact MAHLE Motorsport at 888-255-1942